ELSEVIER

Journal of Organometallic Chemistry 522 (1996) 319–320

Journal of Organometallic Chemistry

Author Index of Volume 522

Ackermann, M.N., 105
Ahmed, M.J., 55
Albert, J., 59, 87
Almond, M.J., 265
Alonzo, G., 237
Alt, H.G., 39, 177
Amberger, H.-D., 317
Amo-Ochoa, P., 97
Angelici, R.J., 21
Antonio, B.J., 105
Au-Yeung, S.C.F., 155

Barron, M.C., 105
Bartsch, R.A., 9
Berthet, J.C., 249
Biran, C., 213
Boisson, C., 249
Bordeau, M., 213
Borja, M., 123
Brauer, D.J., 129
Breunig, H.J., 237
Bruce, M.I., 259, 307
Brunet, J.-J., 117
Bürger, H., 129
Burlakov, V.V., 241

Cassidy, P.E., 55
Chan, J.C.C., 155
Chen, J., 21
Cherkaoui, H., 311
Chupa, A.L., 105
Commenges, G., 117
Czech, B.P., 9

Dalley, N.K., 9
Damiano, J.P., 303
Day, C.L., 21
Denker, M., 237
Dolgushin, F.M., 241
Domhöver, B., 197, 207
Drew, M.G.B., 265
Dunoguès, J., 213

Ebert, K.H., 237
Edelmann, F.T., 317
Ephritikhine, M., 249
Etaiw, S.E.H., 77

Fitch, III, J.W., 55
Fonseca, I., 231
Font-Bardía, M., 59, 87

Elsevier Science S.A.

Frohmader, G., 185

Gonzalez, M., 123
Granell, J., 59, 87
Grdenić, D., 297
Grée, R., 311

Hall, B.C., 307
Hamers, H., 197
Herberhold, M., 185
Herd, O., 69
Heßler, A., 69
Hingst, M., 69
Holloway, C.E., 167
Holwerda, R.A., 9
Humphrey, P.A., 259

Ibrahim, A.M.A., 77
Ilarraza, R., 1

Jacobson, R.A., 21

Kläui, W., 197, 207
Korpar-Čolig, B., 297
Kou, X., 9
Kruger, V., 223
Kudin, K.N., 147
Kus, P., 9

Lance, M., 249
Lang, H., 277
Le Menn, C., 223
Li, S.-L., 155
Liles, D.C., 33
Lin, G., 271
Luna, S., 97
Luque, A., 87

Mahon, M.F., 291
Mak, T.C.W., 155
Manning, J., 123
Marinetti, A., 223
Martelli, J., 311
Martínez-Cruz, L.A., 97
Mathur, P., 291
Matković-Čalogović, D., 297
Matzger, A.J., 105
Meeker, K., 105
Meléndez, E., 1
Melník, M., 167
Mikulec, F.V., 105
Milius, W., 185

Mínguez, J., 87
Moragas, R., 59, 87
Moreau, C., 213

Neibecker, D., 117
Nierlich, M., 249
Novikov, Y.N., 147

Offermann, W., 237

Pawelke, G., 129
Pfeffer, M., 197
Postel, M., 303

Rheingold, A.L., 1
Ricard, L., 223
Rice, D.A., 265
Rodríguez, J.G., 231
Rosenberg, L., 117
Rosenthal, U., 241
Rothe, J., 129
Rudolf, B., 313

Salisbury, G., 265
Sanz, J., 231
Satyanarayana, C.V.V., 291
Schwarz, W., 137
Sekar, P., 291
Serein-Spirau, F., 213
Shur, V.B., 241
Skelton, B.W., 259, 307
Solans, X., 59, 87
Stelzer, O., 69
Struchkov, Yu.T., 241

Taylor, M.J., 265
Tepper, M., 69
Thewalt, U., 241
Tikkanen, W., 123
Todd, M.J., 105

Urrutia, A., 231
Usatov, A.V., 147

Vegas, A., 97
Verhoeven, P.F.M., 33
Vinogradova, L.E., 147
Vorontsov, E.V., 147

Watkins, P., 123
Weinmann, M., 277

Westerhausen, M., 137
White, A.H., 259, 307
Wieneke, M., 137
Wong, W.-T., 271
Woods, C., 105

Yanovsky, A.I., 241
Yap, G.P.A., 1

Zaitseva, N.N., 307
Zakrzewski, J., 313
Zamora, F., 97
Zenk, R., 39, 177
Zhang, Z.-Z., 155
Zsolnai, L., 277

ELSEVIER

Journal of Organometallic Chemistry 522 (1996) 321–327

Journal of Organometallic Chemistry

Subject Index of Volume 522

Acetylenes
Reaction of iron dicarbonyl phosphine complexes of 2-(phenylazo)pyridines with dimethyl acetylenedicarboxylate. Synthesis and crystal structure of a 2,3,1-diazaferrole complex (M.N. Ackermann, F.V. Mikulec, A.J. Matzger, B.J. Antonio, M.C. Barron, M.J. Todd, K. Meeker, A.L. Chupa and C. Woods), 105

Acyl derivatives
Preparation, characterization and carbonylation of the ring-functionalized dibenzyl zirconocenes, $(\eta^5\text{-}C_5H_5)_x((\eta^5\text{-}C_5H_4)P(C_6H_5)_2)_{2-x}Zr(CH_2C_6H_5)_2$ ($x = 1$, (1); $x = 0$, (2) (W. Tikkanen, J. Manning, P. Watkins, M. Gonzalez and M. Borja), 123

Addition to the ethylenic bond
Addition of imidazoles and aminoacids to the ethylenic bond in $(\eta^5\text{-}C_5H_5)Fe(CO)_2(\eta^1\text{-N-maleimidato})$ (B. Rudolf and J. Zakrzewski), 313

Alkylzinc-amide
1,2-Bis(dimethylamino)ethan-Komplexe von heteroleptischen Alkylzink-Verbindungen: Zusammenhang zwischen Zn–N-Abstand und R–Zn–R'-Bindungswinkel (M. Westerhausen, M. Wieneke und W. Schwarz), 137

Alkylzinc-chloride
1,2-Bis(dimethylamino)ethan-Komplexe von heteroleptischen Alkylzink-Verbindungen: Zusammenhang zwischen Zn–N-Abstand und R–Zn–R'-Bindungswinkel (M. Westerhausen, M. Wieneke und W. Schwarz), 137

Alkyne
$FeCl_3$–H_2O: a specific system for arylacetylene hydration (J.P. Damiano and M. Postel), 303

Alkyne complexes
Interaction of carbon dioxide with the bis(trimethylsilyl)acetylene complex of permethyltitanocene: synthesis and structure of the binuclear carbonate complex of permethyltitanocene $(Cp_2^* Ti)_2CO_3$ (V.V. Burlakov, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, V.B. Shur, U. Rosenthal and U. Thewalt), 241

Alkyne dimerization
Synthesis, ^{31}P NMR data and X-ray analysis of a ruthenium(II) dimethylphenylphosphine complex with dimerized phenylacetylene: the structure of $[(PhMe_2P)_4Ru(\eta^3\text{-}PhC_3CHPh)](PF_6)$ (D.C. Liles and P.F.M. Verhoeven), 33

Alkynyl chlorosilanes
Koordinationsverhalten vinyl- und alkinylfunktionalisierter Chlorsilane (H. Lang, M. Weinmann und L. Zsolnai), 277

Allyl
Synthese von π-Allyl–Palladium-Komplexen, stabilisiert durch dreizähnige Sauerstoffliganden $[(C_5H_5)Co\{P(OR)_2O\}_3]^-$ (B. Domhöver, H. Hamers, W. Kläui und M. Pfeffer), 197

Allyl, Oxygen ligand
π-Allyl–Palladium-Komplexe stabilisiert durch den tripodalen Sauerstoffliganden $[(C_5H_5)Co\{P(OMe)_2O\}_3]^-$ II. Eliminierung statt C–C-Bindungsbildung bei der Reaktion mit resonanzstabilisierten Carbanionen (B. Domhöver und W. Kläui), 207

Amide
Reactivity of the cationic uranium amide compound $[U(\eta\text{-}C_8H_8)(NEt_2)(OC_4H_8)_2][BPh_4]$ (C. Boisson, J.C. Berthet, M. Ephritikhine, M. Lance and M. Nierlich), 249

Amido rhodium(I) complexes
Variable temperature multidimensional NMR study of anionic Rh(I) anilido $[(R_3P)_2Rh(NHPh)_2]^-$, M^+ complexes (J.-J. Brunet, G. Commenges, D. Neibecker and L. Rosenberg), 117

Amines
Cyclometallation of 2-phenylaniline and (*R*)-α-methylbenzylamine by palladium(II) acetate. X-ray molecular structure of $[Pd\{2\text{-}(2'\text{-}NH_2C_6H_4)C_6H_4\}Br(PPh_3)]$ (J. Albert, J. Granell, A. Luque, J. Mínguez, R. Moragas, M. Font-Bardía and X. Solans), 87

Amino acid
Addition of imidazoles and aminoacids to the ethylenic bond in $(\eta^5\text{-}C_5H_5)Fe(CO)_2(\eta^1\text{-N-maleimidato})$ (B. Rudolf and J. Zakrzewski), 313

Anilides
Variable temperature multidimensional NMR study of anionic Rh(I) anilido $[(R_3P)_2Rh(NHPh)_2]^-$, M^+ complexes (J.-J. Brunet, G. Commenges, D. Neibecker and L. Rosenberg), 117

Antimony
^1H NMR spectra of Ph_2SbX, $PhSbX_2$, and Ph_3SbX_2 (X = Cl, Br, I); ^{121}Sb Mössbauer spectra of $PhSbX_2$ and crystal structure of Ph_2SbI (G. Alonzo, H.J. Breunig, M. Denker, K.H. Ebert and W. Offermann), 237
Adduct formation between $(Ph_3SbI)_2O$ and I_2 (M.J. Almond, M.G.B. Drew, D.A. Rice, G. Salisbury and M.J. Taylor), 265

π-Bonding
Reaction of iron dicarbonyl phosphine complexes of 2-(phenylazo)pyridines with dimethyl acetylenedicarboxylate. Synthesis and crystal structure of a 2,3,1-diazaferrole complex (M.N. Ackermann, F.V. Mikulec, A.J. Matzger, B.J. Antonio, M.C. Barron, M.J. Todd, K. Meeker, A.L. Chupa and C. Woods), 105

Boron
[2 + 3] Cycloaddition reactions of dimethylamino-bis(trifluoromethyl)borane, $(CF_3)_2BNMe_2$, with nitrile oxides, nitrones and $Me_2C{=}SO_2$. Crystal and molecular structure of $(CF_3)_2B\text{-}NMe_2\text{-}{}^tBuC{=}N\text{–}O$ and $(CF_3)_2B\text{–}NMe_2\text{–}CMe_2\text{–}S(=O)\text{–}O$ (D.J. Brauer, H. Bürger, G. Pawelke and J. Rothe), 129

Bromide
Water soluble phosphines. VIII. Palladium-catalyzed P–C cross coupling reactions between primary or secondary phosphines and functional aryliodides — a novel synthetic route to water soluble phosphines (O. Herd, A. Heßler, M. Hingst, M. Tepper and O. Stelzer), 69

C_{60}
Organometallic hydrides as reactants in fullerene chemistry. Interaction of the fullerenes C_{60} and C_{70} with $HM(CO)(PPh_3)_3$ (M = Rh

Elsevier Science S.A.

and Ir) and $HIr(C_8H_{12})(PPh_3)_2$ (A.V. Usatov, K.N. Kudin, E.V. Vorontsov, L.E. Vinogradova and Y.N. Novikov), 147

C_{70}

Organometallic hydrides as reactants in fullerene chemistry. Interaction of the fullerenes C_{60} and C_{70} with $HM(CO)(PPh_3)_3$ (M = Rh and Ir) and $HIr(C_8H_{12})(PPh_3)_2$ (A.V. Usatov, K.N. Kudin, E.V. Vorontsov, L.E. Vinogradova and Y.N. Novikov), 147

Cadmium

Organometallic and carbonyl compounds of cadmium: analysis of crystallographic and structural data (C.E. Holloway and M. Melník), 167

Carbon dioxide

Interaction of carbon dioxide with the bis(trimethylsilyl)acetylene complex of permethyltitanocene: synthesis and structure of the binuclear carbonate complex of permethyltitanocene $(Cp_2^* Ti)_2CO_3$ (V.V. Burlakov, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, V.B. Shur, U. Rosenthal and U. Thewalt), 241

Carbonyl

Addition of imidazoles and aminoacids to the ethylenic bond in $(\eta^5\text{-}C_5H_5)Fe(CO)_2(\eta^1\text{-N-maleimidato})$ (B. Rudolf and J. Zakrzewski), 313

Bond shift isomerization in a heterodiene complexed to $Fe(CO)_3$ (H. Cherkaoui, J. Martelli and R. Grée), 311

Organometallic and carbonyl compounds of cadmium: analysis of crystallographic and structural data (C.E. Holloway and M. Melník), 167

Reactions of $SmI_2(THF)_x$ with $[Cp'Mo(CO)_3]_2Hg$ ($Cp' = C_5H_5^-$ or $C_5Me_5^-$): crystal and molecular structures of $[(THF)_4I_2Sm(\mu\text{-}OC)Mo(CO)_2(C_5H_5)]$ and $[(C_5Me_5)Mo(CO)_3]_2$ (G. Lin and W.-T. Wong), 271

Synthesis and characterisation of $CpCoFe_2(CO)_6(\mu_3\text{-S})(\mu_3\text{-Te})$. Crystal structure of $CpCoFe_2(CO)_6(\mu_3\text{-Se})(\mu_3\text{-Te})$ (P. Mathur, P. Sekar, C.V.V. Satyanarayana and M.F. Mahon), 291

Synthesis and structural characterization of a phosphido-bridged heterobimetallic transition metal complex, $(CO)_3Fe(\mu\text{-}PPh_2)_2Mo(CO)_4$ (S.-L. Li, Z.-Z. Zhang, J.C.C. Chan, S.C.F. Au-Yeung and T.C.W. Mak), 155

Synthesis reactivity and molecular structure of 2′-methylspiro[cyclohexane-1,3′-3*H*-indole] chromium tricarbonyl complex (J.G. Rodríguez, A. Urrutia, I. Fonseca and J. Sanz), 231

Carbonylation

Preparation, characterization and carbonylation of the ring-functionalized dibenzyl zirconocenes, $(\eta^5\text{-}C_5H_5)_x((\eta^5\text{-}C_5H_4)P(C_6H_5)_2)_{2-x}Zr(CH_2C_6H_5)_2$ ($x = 1$, (**1**); $x = 0$, (**2**) (W. Tikkanen, J. Manning, P. Watkins, M. Gonzalez and M. Borja), 123

Catalysis

Syndiospezifische Polymerisation von Propylen: 2- und 2,7-substituierte Metallocenkomplex des Typs $(C_{13}H_{8-n}R_nCR'_2C_5H_4)MCl_2$ ($n = 1,2$; R = Alkoxy, Alkyl, Aryl, Hal; R′ = Me, Ph; M = Zr, Hf) (H.G. Alt und R. Zenk), 39

Cation

Reactivity of the cationic uranium amide compound $[U(\eta\text{-}C_8H_8)(NEt_2)(OC_4H_8)_2][BPh_4]$ (C. Boisson, J.C. Berthet, M. Ephritikhine, M. Lance and M. Nierlich), 249

Chirality

Diastereoselective synthesis of α-silylphosphetanes. An approach to monodentate, P–O chelating and *trans*-chelating chiral ligands (A. Marinetti, V. Kruger, C. Le Menn and L. Ricard), 223

Some neutral ruthenium vinylidene complexes and a novel 1,3-elimination reaction: preparation of chiral ruthenium acetylides (M.I. Bruce, B.C. Hall, N.N. Zaitseva, B.W. Skelton and A.H. White), 307

Chromic behaviour

Unusual chromic behaviour of the solid supramolecular 3D polymers $[(Me_3Sn)_nFe(CN)_6]_\infty$ ($n = 3/4$) (S.E.H. Etaiw and A.M.A. Ibrahim), 77

Chromium

Synthesis reactivity and molecular structure of 2′-methylspiro[cyclohexane-1,3′-3*H*-indole] chromium tricarbonyl complex (J.G. Rodríguez, A. Urrutia, I. Fonseca and J. Sanz), 231

Cluster

Reactions of $Ru_3(\mu\text{-dppm})(CO)_{10}$ with unsaturated hydrocarbons. Pentamethylcyclopentadiene. X-ray structure of $Ru_4(\mu\text{-H})(\mu_3\text{-}PPhCH_2PPh_2)(\mu\text{-}\eta^1:\eta^5\text{-}CH_2C_5Me_4)(CO)_8$ (M.I. Bruce, P.A. Humphrey, B.W. Skelton and A.H. White), 259

Synthesis and characterisation of $CpCoFe_2(CO)_6(\mu_3\text{-S})(\mu_3\text{-Te})$. Crystal structure of $CpCoFe_2(CO)_6(\mu_3\text{-Se})(\mu_3\text{-Te})$ (P. Mathur, P. Sekar, C.V.V. Satyanarayana and M.F. Mahon), 291

C-metallation

C- and O-metallation of N-benzylideneamines by palladium (II). Synthesis and X-ray crystal structure of $[Pd(2\text{-}\{CH{=}N\text{-}(CH_2)_2\text{-}4'\text{-}(MeO)C_6H_4\}\text{-}4,5\text{-}(MeO)_2C_6H_2)Br(PPh_3)]$ (J. Albert, J. Granell, R. Moragas, M. Font-Bardía and X. Solans), 59

Cobalt

Koordinationsverhalten vinyl- und alkinylfunktionalisierter Chlorsilane (H. Lang, M. Weinmann und L. Zsolnai), 277

Synthesis and characterisation of $CpCoFe_2(CO)_6(\mu_3\text{-S})(\mu_3\text{-Te})$. Crystal structure of $CpCoFe_2(CO)_6(\mu_3\text{-Se})(\mu_3\text{-Te})$ (P. Mathur, P. Sekar, C.V.V. Satyanarayana and M.F. Mahon), 291

Coordination ability

Koordinationsverhalten vinyl- und alkinylfunktionalisierter Chlorsilane (H. Lang, M. Weinmann und L. Zsolnai), 277

Crystal structure

^1H NMR spectra of Ph_2SbX, $PhSbX_2$, and Ph_3SbX_2 (X = Cl, Br, I); ^{121}Sb Mössbauer spectra of $PhSbX_2$ and crystal structure of Ph_2SbI (G. Alonzo, H.J. Breunig, M. Denker, K.H. Ebert and W. Offermann), 237

Adduct formation between $(Ph_3SbI)_2O$ and I_2 (M.J. Almond, M.G.B. Drew, D.A. Rice, G. Salisbury and M.J. Taylor), 265

Organometallic and carbonyl compounds of cadmium: analysis of crystallographic and structural data (C.E. Holloway and M. Melník), 167

Reactions of $Ru_3(\mu\text{-dppm})(CO)_{10}$ with unsaturated hydrocarbons. Pentamethylcyclopentadiene. X-ray structure of $Ru_4(\mu\text{-H})(\mu_3\text{-}PPhCH_2PPh_2)(\mu\text{-}\eta^1:\eta^5\text{-}CH_2C_5Me_4)(CO)_8$ (M.I. Bruce, P.A. Humphrey, B.W. Skelton and A.H. White), 259

Reactions of $SmI_2(THF)_x$ with $[Cp'Mo(CO)_3]_2Hg$ ($Cp' = C_5H_5^-$ or $C_5Me_5^-$): crystal and molecular structures of $[(THF)_4I_2Sm(\mu\text{-}OC)Mo(CO)_2(C_5H_5)]$ and $[(C_5Me_5)Mo(CO)_3]_2$ (G. Lin and W.-T. Wong), 271

Some neutral ruthenium vinylidene complexes and a novel 1,3-elimination reaction: preparation of chiral ruthenium acetylides (M.I. Bruce, B.C. Hall, N.N. Zaitseva, B.W. Skelton and A.H. White), 307

Synthese von π-Allyl–Palladium-Komplexen, stabilisiert durch dreizähnige Sauerstoffliganden $[(C_5H_5)Co\{P(OR)_2O\}_3]^-$ (B. Domhöver, H. Hamers, W. Kläui und M. Pfeffer), 197

Synthesis, ^{31}P NMR data and X-ray analysis of a ruthenium(II) dimethylphenylphosphine complex with dimerized phenylacetylene: the structure of $[(PhMe_2P)_4Ru(\eta^3\text{-}PhC_3CHPh)](PF_6)$ (D.C. Liles and P.F.M. Verhoeven), 33

Synthesis and structural characterization of a phosphido-bridged heterobimetallic transition metal complex, $(CO)_3Fe(\mu\text{-}PPh_2)_2Mo$-

$(CO)_4$ (S.-L. Li, Z.-Z. Zhang, J.C.C. Chan, S.C.F. Au-Yeung and T.C.W. Mak), 155

Cubane cluster
Neue Vanadium-Komplexe mit substituentenfreien Phosphorliganden (M. Herberhold, G. Frohmader und W. Milius), 185

Cycloaddition reactions
[2 + 3] Cycloaddition reactions of dimethylamino-bis(trifluoromethyl)borane, $(CF_3)_2BNMe_2$, with nitrile oxides, nitrones and $Me_2C{=}SO_2$. Crystal and molecular structure of $(CF_3)_2B{-}NMe_2{-}^tBuC{=}N{-}O$ and $(CF_3)_2B{-}NMe_2{-}CMe_2{-}S(=O){-}O$ (D.J. Brauer, H. Bürger, G. Pawelke and J. Rothe), 129

Cyclometallation
C- and O-metallation of N-benzylideneamines by palladium (II). Synthesis and X-ray crystal structure of $[Pd(2\text{-}\{CH{=}N{-}(CH_2)_2\text{-}4'\text{-}(MeO)C_6H_4\}\text{-}4,5\text{-}(MeO)_2C_6H_2)Br(PPh_3)]$ (J. Albert, J. Granell, R. Moragas, M. Font-Bardía and X. Solans), 59

Cyclometallation of 2-phenylaniline and (*R*)-α-methylbenzylamine by palladium(II) acetate. X-ray molecular structure of $[Pd\{2\text{-}(2'\text{-}NH_2C_6H_4)C_6H_4\}Br(PPh_3)]$ (J. Albert, J. Granell, A. Luque, J. Mínguez, R. Moragas, M. Font-Bardía and X. Solans), 87

Cyclooctatetraene
Reactivity of the cationic uranium amide compound $[U(\eta\text{-}C_8H_8)(NEt_2)(OC_4H_8)_2][BPh_4]$ (C. Boisson, J.C. Berthet, M. Ephritikhine, M. Lance and M. Nierlich), 249

Cyclopalladation
A way to obtain cyclopalladation of unsubstituted 2-phenylimidazole derivatives (F. Zamora, S. Luna, P. Amo-Ochoa, L.A. Martínez-Cruz and A. Vegas), 97

C- and O-metallation of N-benzylideneamines by palladium (II). Synthesis and X-ray crystal structure of $[Pd(2\text{-}\{CH{=}N{-}(CH_2)_2\text{-}4'\text{-}(MeO)C_6H_4\}\text{-}4,5\text{-}(MeO)_2C_6H_2)Br(PPh_3)]$ (J. Albert, J. Granell, R. Moragas, M. Font-Bardía and X. Solans), 59

Diene complexes
Synthesis and structure of ruthenium(II)–diene complexes (E. Meléndez, R. Ilarraza, G.P.A. Yap and A.L. Rheingold), 1

trans-Diene coordination
Synthesis and structure of ruthenium(II)–diene complexes (E. Meléndez, R. Ilarraza, G.P.A. Yap and A.L. Rheingold), 1

Dimethylamino-bis(trifluormethyl)borane
[2 + 3] Cycloaddition reactions of dimethylamino-bis(trifluoromethyl)borane, $(CF_3)_2BNMe_2$, with nitrile oxides, nitrones and $Me_2C{=}SO_2$. Crystal and molecular structure of $(CF_3)_2B{-}NMe_2{-}^tBuC{=}N{-}O$ and $(CF_3)_2B{-}NMe_2{-}CMe_2{-}S(=O){-}O$ (D.J. Brauer, H. Bürger, G. Pawelke and J. Rothe), 129

Diphosphine
Diastereoselective synthesis of α-silylphosphetanes. An approach to monodentate, P–O chelating and *trans*-chelating chiral ligands (A. Marinetti, V. Kruger, C. Le Menn and L. Ricard), 223

Electrochemical synthesis
Electrochemical synthesis of bis(2-thienyl)silanes, 2-thienylchlorosilanes, bis[5-(2-bromothienyl)]silanes, and 5-(2-bromothienyl)dimethylchlorosilane, precursors of poly[(silanylene)thiophene]s (C. Moreau, F. Serein-Spirau, M. Bordeau, C. Biran and J. Dunoguès), 213

Electrochemistry
New ferrocenophanes containing a hydrophobic, aromatic 'pocket' (R.A. Bartsch, P. Kus, R.A. Holwerda, B.P. Czech, X. Kou and N.K. Dalley), 9

Elimination reaction
π-Allyl–Palladium-Komplexe stabilisiert durch den tripodalen Sauerstoffliganden $[(C_5H_5)Co\{P(OMe)_2O\}_3]^-$ II. Eliminierung statt C–C-Bindungsbildung bei der Reaktion mit resonanzstabilisierten Carbanionen (B. Domhöver und W. Kläui), 207

Ferrocenes
New ferrocenophanes containing a hydrophobic, aromatic 'pocket' (R.A. Bartsch, P. Kus, R.A. Holwerda, B.P. Czech, X. Kou and N.K. Dalley), 9

Ferrocenophanes
New ferrocenophanes containing a hydrophobic, aromatic 'pocket' (R.A. Bartsch, P. Kus, R.A. Holwerda, B.P. Czech, X. Kou and N.K. Dalley), 9

Fluorenyl
Syndiospezifische Polymerisation von Propylen: 2- und 2,7-substituierte Metallocenkomplex des Typs $(C_{13}H_{8-n}R_nCR'_2C_5H_4)MCl_2$ (n = 1,2; R = Alkoxy, Alkyl, Aryl, Hal; R' = Me, Ph; M = Zr, Hf) (H.G. Alt und R. Zenk), 39

Group 12
Organometallic and carbonyl compounds of cadmium: analysis of crystallographic and structural data (C.E. Holloway and M. Melník), 167

Group 15
^1H NMR spectra of Ph_2SbX, $PhSbX_2$, and Ph_3SbX_2 (X = Cl, Br, I); ^{121}Sb Mössbauer spectra of $PhSbX_2$ and crystal structure of Ph_2SbI (G. Alonzo, H.J. Breunig, M. Denker, K.H. Ebert and W. Offermann), 237

Hafnium
Syndiospezifische Polymerisation von Propylen: 2- und 2,7-substituierte Metallocenkomplex des Typs $(C_{13}H_{8-n}R_nCR'_2C_5H_4)MCl_2$ (n = 1,2; R = Alkoxy, Alkyl, Aryl, Hal; R' = Me, Ph; M = Zr, Hf) (H.G. Alt und R. Zenk), 39

Halide
Electrochemical synthesis of bis(2-thienyl)silanes, 2-thienylchlorosilanes, bis[5-(2-bromothienyl)]silanes, and 5-(2-bromothienyl)dimethylchlorosilane, precursors of poly[(silanylene)thiophene]s (C. Moreau, F. Serein-Spirau, M. Bordeau, C. Biran and J. Dunoguès), 213

Heterobimetallic complex
Synthesis and structural characterization of a phosphido-bridged heterobimetallic transition metal complex, $(CO)_3Fe(\mu\text{-}PPh_2)_2Mo(CO)_4$ (S.-L. Li, Z.-Z. Zhang, J.C.C. Chan, S.C.F. Au-Yeung and T.C.W. Mak), 155

Heterodiene complex
Bond shift isomerization in a heterodiene complexed to $Fe(CO)_3$ (H. Cherkaoui, J. Martelli and R. Grée), 311

^1H NMR spectra
^1H NMR spectra of Ph_2SbX, $PhSbX_2$, and Ph_3SbX_2 (X = Cl, Br, I); ^{121}Sb Mössbauer spectra of $PhSbX_2$ and crystal structure of Ph_2SbI (G. Alonzo, H.J. Breunig, M. Denker, K.H. Ebert and W. Offermann), 237

Hydration
$FeCl_3{-}H_2O$: a specific system for arylacetylene hydration (J.P. Damiano and M. Postel), 303

Hydroamination
Variable temperature multidimensional NMR study of anionic Rh(I) anilido $[(R_3P)_2Rh(NHPh)_2]^-$, M^+ complexes (J.-J. Brunet, G. Commenges, D. Neibecker and L. Rosenberg), 117

Hydroarylation
Variable temperature multidimensional NMR study of anionic Rh(I) anilido $[(R_3P)_2Rh(NHPh)_2]^-$, M^+ complexes (J.-J. Brunet, G. Commenges, D. Neibecker and L. Rosenberg), 117

Hydrodesulfurization
Unexpected products resulting from reactions of $Cp^*Ir(\eta^5\text{-}2,5\text{-}Me_2T)^{2+}$ (Me_2T = 2,5-dimethylthiophene) with $(\mu\text{-}S)_2Fe_2(CO)_6^{2-}$ and $(\mu\text{-}CO)(\mu\text{-}RS)Fe_2(CO)_6^-$ (J. Chen, C.L. Day, R.A. Jacobson and R.J. Angelici), 21

Hydrogen bonding
New ferrocenophanes containing a hydrophobic, aromatic 'pocket' (R.A. Bartsch, P. Kus, R.A. Holwerda, B.P. Czech, X. Kou and N.K. Dalley), 9

Imidazole
Addition of imidazoles and aminoacids to the ethylenic bond in $(\eta^5\text{-}C_5H_5)Fe(CO)_2(\eta^1\text{-N-maleimidato})$ (B. Rudolf and J. Zakrzewski), 313
Imidazoles
A way to obtain cyclopalladation of unsubstituted 2-phenylimidazole derivatives (F. Zamora, S. Luna, P. Amo-Ochoa, L.A. Martínez-Cruz and A. Vegas), 97
Iodide
Water soluble phosphines. VIII. Palladium-catalyzed P–C cross coupling reactions between primary or secondary phosphines and functional aryliodides — a novel synthetic route to water soluble phosphines (O. Herd, A. Heßler, M. Hingst, M. Tepper and O. Stelzer), 69
Iodine
Adduct formation between $(Ph_3SbI)_2O$ and I_2 (M.J. Almond, M.G.B. Drew, D.A. Rice, G. Salisbury and M.J. Taylor), 265
Iridium
Organometallic hydrides as reactants in fullerene chemistry. Interaction of the fullerenes C_{60} and C_{70} with $HM(CO)(PPh_3)_3$ (M = Rh and Ir) and $HIr(C_8H_{12})(PPh_3)_2$ (A.V. Usatov, K.N. Kudin, E.V. Vorontsov, L.E. Vinogradova and Y.N. Novikov), 147
Unexpected products resulting from reactions of $Cp^*Ir(\eta^5\text{-}2,5\text{-}Me_2T)^{2+}$ (Me_2T = 2,5-dimethylthiophene) with $(\mu\text{-}S)_2Fe_2(CO)_6^{2-}$ and $(\mu\text{-}CO)(\mu\text{-}RS)Fe_2(CO)_6^-$ (J. Chen, C.L. Day, R.A. Jacobson and R.J. Angelici), 21
Iron
Addition of imidazoles and aminoacids to the ethylenic bond in $(\eta^5\text{-}C_5H_5)Fe(CO)_2(\eta^1\text{-N-maleimidato})$ (B. Rudolf and J. Zakrzewski), 313
Bond shift isomerization in a heterodiene complexed to $Fe(CO)_3$ (H. Cherkaoui, J. Martelli and R. Grée), 311
$FeCl_3$–H_2O: a specific system for arylacetylene hydration (J.P. Damiano and M. Postel), 303
Koordinationsverhalten vinyl- und alkinylfunktionalisierter Chlorsilane (H. Lang, M. Weinmann und L. Zsolnai), 277
New ferrocenophanes containing a hydrophobic, aromatic 'pocket' (R.A. Bartsch, P. Kus, R.A. Holwerda, B.P. Czech, X. Kou and N.K. Dalley), 9
Reaction of iron dicarbonyl phosphine complexes of 2-(phenylazo)pyridines with dimethyl acetylenedicarboxylate. Synthesis and crystal structure of a 2,3,1-diazaferrole complex (M.N. Ackermann, F.V. Mikulec, A.J. Matzger, B.J. Antonio, M.C. Barron, M.J. Todd, K. Meeker, A.L. Chupa and C. Woods), 105
Synthesis and characterisation of $CpCoFe_2(CO)_6(\mu_3\text{-}S)(\mu_3\text{-}Te)$. Crystal structure of $CpCoFe_2(CO)_6(\mu_3\text{-}Se)(\mu_3\text{-}Te)$ (P. Mathur, P. Sekar, C.V.V. Satyanarayana and M.F. Mahon), 291
Synthesis and structural characterization of a phosphido-bridged heterobimetallic transition metal complex, $(CO)_3Fe(\mu\text{-}PPh_2)_2Mo(CO)_4$ (S.-L. Li, Z.-Z. Zhang, J.C.C. Chan, S.C.F. Au-Yeung and T.C.W. Mak), 155
Unexpected products resulting from reactions of $Cp^*Ir(\eta^5\text{-}2,5\text{-}Me_2T)^{2+}$ (Me_2T = 2,5-dimethylthiophene) with $(\mu\text{-}S)_2Fe_2(CO)_6^{2-}$ and $(\mu\text{-}CO)(\mu\text{-}RS)Fe_2(CO)_6^-$ (J. Chen, C.L. Day, R.A. Jacobson and R.J. Angelici), 21
Unusual chromic behaviour of the solid supramolecular 3D polymers $[(Me_3Sn)_nFe(CN)_6]_\infty$ (n = 3/4) (S.E.H. Etaiw and A.M.A. Ibrahim), 77

Kinetic studies
Bond shift isomerization in a heterodiene complexed to $Fe(CO)_3$ (H. Cherkaoui, J. Martelli and R. Grée), 311

Ligand substitution
π-Allyl–Palladium-Komplexe stabilisiert durch den tripodalen Sauerstoffliganden $[(C_5H_5)Co\{P(OMe)_2O\}_3]^-$ II. Eliminierung statt C–C-Bindungsbildung bei der Reaktion mit resonanzstabilisierten Carbanionen (B. Domhöver und W. Kläui), 207
Lithium
Lithiation and silylation reactions of 1,4-bis(1,1,1,3,3,3-hexafluoro-2-hydroxy-2-propyl)benzene (J.W. Fitch, III, P.E. Cassidy and M.J. Ahmed), 55

Maleimide anion
Addition of imidazoles and aminoacids to the ethylenic bond in $(\eta^5\text{-}C_5H_5)Fe(CO)_2(\eta^1\text{-N-maleimidato})$ (B. Rudolf and J. Zakrzewski), 313
Manganese
Koordinationsverhalten vinyl- und alkinylfunktionalisierter Chlorsilane (H. Lang, M. Weinmann und L. Zsolnai), 277
Mercury
Synthesis and crystal structures of tetrakis(nitratomercurio)methane monohydrate and bis(sulphatomercurio)bis(aquamercurio)methane (D. Grdenić, B. Korpar-Čolig and D. Matković-Čalogović), 297
Metallocenes
Preparation, characterization and carbonylation of the ring-functionalized dibenzyl zirconocenes, $(\eta^5\text{-}C_5H_5)_x((\eta^5\text{-}C_5H_4)P(C_6H_5)_2)_{2-x}Zr(CH_2C_6H_5)_2$ (x = 1, (1); x = 0, (2) (W. Tikkanen, J. Manning, P. Watkins, M. Gonzalez and M. Borja), 123
Metallocycles
Reaction of iron dicarbonyl phosphine complexes of 2-(phenylazo)pyridines with dimethyl acetylenedicarboxylate. Synthesis and crystal structure of a 2,3,1-diazaferrole complex (M.N. Ackermann, F.V. Mikulec, A.J. Matzger, B.J. Antonio, M.C. Barron, M.J. Todd, K. Meeker, A.L. Chupa and C. Woods), 105
Model complexes
Syndiospezifische Polymerisation von Propylen: Modellverbindungen des Typs $(C_{13}H_{8-n}R_nCMe_2C_5H_4)Zr(H_2C{=}CHR')(PMe_3)$ (n = 0, 2; R = H, Me; R' = Me, Et) (H.G. Alt und R. Zenk), 177
Molecular adducts
Adduct formation between $(Ph_3SbI)_2O$ and I_2 (M.J. Almond, M.G.B. Drew, D.A. Rice, G. Salisbury and M.J. Taylor), 265
Molybdenum
Reactions of $SmI_2(THF)_x$ with $[Cp'Mo(CO)_3]_2Hg$ ($Cp' = C_5H_5^-$ or $C_5Me_5^-$): crystal and molecular structures of $[(THF)_4I_2Sm(\mu\text{-}OC)Mo(CO)_2(C_5H_5)]$ and $[(C_5Me_5)Mo(CO)_3]_2$ (G. Lin and W.-T. Wong), 271
Synthesis and structural characterization of a phosphido-bridged heterobimetallic transition metal complex, $(CO)_3Fe(\mu\text{-}PPh_2)_2Mo(CO)_4$ (S.-L. Li, Z.-Z. Zhang, J.C.C. Chan, S.C.F. Au-Yeung and T.C.W. Mak), 155

O-metallation
C- and O-metallation of N-benzylideneamines by palladium (II). Synthesis and X-ray crystal structure of $[Pd(2\text{-}\{CH{=}N\text{–}(CH_2)_2\text{-}4'\text{-}(MeO)C_6H_4\}\text{-}4,5\text{-}(MeO)_2C_6H_2)Br(PPh_3)]$ (J. Albert, J. Granell, R. Moragas, M. Font-Bardía and X. Solans), 59
Organometallic
Organometallic and carbonyl compounds of cadmium: analysis of crystallographic and structural data (C.E. Holloway and M. Melník), 167

Organometallic hydrides
Organometallic hydrides as reactants in fullerene chemistry. Interaction of the fullerenes C_{60} and C_{70} with $HM(CO)(PPh_3)_3$ (M = Rh and Ir) and $HIr(C_8H_{12})(PPh_3)_2$ (A.V. Usatov, K.N. Kudin, E.V. Vorontsov, L.E. Vinogradova and Y.N. Novikov), 147
Oxygen ligand
Synthese von π-Allyl–Palladium-Komplexen, stabilisiert durch dreizähnige Sauerstoffliganden $[(C_5H_5)Co\{P(OR)_2O\}_3]^-$ (B. Domhöver, H. Hamers, W. Kläui und M. Pfeffer), 197

Palladium
A way to obtain cyclopalladation of unsubstituted 2-phenylimidazole derivatives (F. Zamora, S. Luna, P. Amo-Ochoa, L.A. Martínez-Cruz and A. Vegas), 97
π-Allyl–Palladium-Komplexe stabilisiert durch den tripodalen Sauerstoffliganden $[(C_5H_5)Co\{P(OMe)_2O\}_3]^-$ II. Eliminierung statt C–C-Bindungsbildung bei der Reaktion mit resonanzstabilisierten Carbanionen (B. Domhöver und W. Kläui), 207
C- and O-metallation of N-benzylideneamines by palladium (II). Synthesis and X-ray crystal structure of $[Pd(2\text{-}\{CH{=}N\text{-}(CH_2)_2\text{-}4'\text{-}(MeO)C_6H_4\}\text{-}4,5\text{-}(MeO)_2C_6H_2)Br(PPh_3)]$ (J. Albert, J. Granell, R. Moragas, M. Font-Bardía and X. Solans), 59
Cyclometallation of 2-phenylaniline and (*R*)-α-methylbenzylamine by palladium(II) acetate. X-ray molecular structure of $[Pd\{2\text{-}(2'\text{-}NH_2C_6H_4)C_6H_4\}Br(PPh_3)]$ (J. Albert, J. Granell, A. Luque, J. Mínguez, R. Moragas, M. Font-Bardía and X. Solans), 87
Synthese von π-Allyl–Palladium-Komplexen, stabilisiert durch dreizähnige Sauerstoffliganden $[(C_5H_5)Co\{P(OR)_2O\}_3]^-$ (B. Domhöver, H. Hamers, W. Kläui und M. Pfeffer), 197
Palladium catalysis
Water soluble phosphines. VIII. Palladium-catalyzed P–C cross coupling reactions between primary or secondary phosphines and functional aryliodides — a novel synthetic route to water soluble phosphines (O. Herd, A. Heßler, M. Hingst, M. Tepper and O. Stelzer), 69
P–C cross coupling
Water soluble phosphines. VIII. Palladium-catalyzed P–C cross coupling reactions between primary or secondary phosphines and functional aryliodides — a novel synthetic route to water soluble phosphines (O. Herd, A. Heßler, M. Hingst, M. Tepper and O. Stelzer), 69
Pentamethylcyclopentadiene
Reactions of $Ru_3(\mu\text{-dppm})(CO)_{10}$ with unsaturated hydrocarbons. Pentamethylcyclopentadiene. X-ray structure of $Ru_4(\mu\text{-H})(\mu_3\text{-}PPhCH_2PPh_2)(\mu\text{-}\eta^1:\eta^5\text{-}CH_2C_5Me_4)(CO)_8$ (M.I. Bruce, P.A. Humphrey, B.W. Skelton and A.H. White), 259
Pentamethylcyclopentadienyl
Unexpected products resulting from reactions of $Cp^*Ir(\eta^5\text{-}2,5\text{-}Me_2T)^{2+}$ (Me_2T = 2,5-dimethylthiophene) with $(\mu\text{-}S)_2\text{-}Fe_2(CO)_6^{2-}$ and $(\mu\text{-}CO)(\mu\text{-}RS)Fe_2(CO)_6^-$ (J. Chen, C.L. Day, R.A. Jacobson and R.J. Angelici), 21
Phenyl
^1H NMR spectra of Ph_2SbX, $PhSbX_2$, and Ph_3SbX_2 (X = Cl, Br, I); ^{121}Sb Mössbauer spectra of $PhSbX_2$ and crystal structure of Ph_2SbI (G. Alonzo, H.J. Breunig, M. Denker, K.H. Ebert and W. Offermann), 237
Phosphido complex
Synthesis and structural characterization of a phosphido-bridged heterobimetallic transition metal complex, $(CO)_3Fe(\mu\text{-}PPh_2)_2Mo(CO)_4$ (S.-L. Li, Z.-Z. Zhang, J.C.C. Chan, S.C.F. Au-Yeung and T.C.W. Mak), 155
Phosphine complexes
Variable temperature multidimensional NMR study of anionic Rh(I) anilido $[(R_3P)_2Rh(NHPh)_2]^-$, M^+ complexes (J.-J. Brunet, G. Commenges, D. Neibecker and L. Rosenberg), 117
Phosphines
Reaction of iron dicarbonyl phosphine complexes of 2-(phenylazo)pyridines with dimethyl acetylenedicarboxylate. Synthesis and crystal structure of a 2,3,1-diazaferrole complex (M.N. Ackermann, F.V. Mikulec, A.J. Matzger, B.J. Antonio, M.C. Barron, M.J. Todd, K. Meeker, A.L. Chupa and C. Woods), 105
Phosphorus
Neue Vanadium-Komplexe mit substituentenfreien Phosphorliganden (M. Herberhold, G. Frohmader und W. Milius), 185
^{31}P NMR
Synthesis, ^{31}P NMR data and X-ray analysis of a ruthenium(II) dimethylphenylphosphine complex with dimerized phenylacetylene: the structure of $[(PhMe_2P)_4Ru(\eta^3\text{-}PhC_3CHPh)](PF_6)$ (D.C. Liles and P.F.M. Verhoeven), 33
Polymerization
Syndiospezifische Polymerisation von Propylen: 2- und 2,7-substituierte Metallocenkomplex des Typs $(C_{13}H_{8-n}R_nCR'_2C_5H_4)MCl_2$ (n = 1,2; R = Alkoxy, Alkyl, Aryl, Hal; R' = Me, Ph; M = Zr, Hf) (H.G. Alt und R. Zenk), 39
Polymerization mechanism
Syndiospezifische Polymerisation von Propylen: Modellverbindungen des Typs $(C_{13}H_{8-n}R_nCMe_2C_5H_4)Zr(H_2C{=}CHR')(PMe_3)$ (n = 0, 2; R = H, Me; R' = Me, Et) (H.G. Alt und R. Zenk), 177
Poly[(silanylene)thiophene] precursors
Electrochemical synthesis of bis(2-thienyl)silanes, 2-thienylchlorosilanes, bis[5-(2-bromothienyl)]silanes, and 5-(2-bromothienyl)dimethylchlorosilane, precursors of poly[(silanylene)thiophene]s (C. Moreau, F. Serein-Spirau, M. Bordeau, C. Biran and J. Dunoguès), 213

Reactivity
Synthesis reactivity and molecular structure of 2'-methylspiro[cyclohexane-1,3'-3*H*-indole] chromium tricarbonyl complex (J.G. Rodríguez, A. Urrutia, I. Fonseca and J. Sanz), 231
Review
Organometallic and carbonyl compounds of cadmium: analysis of crystallographic and structural data (C.E. Holloway and M. Melník), 167
Rhodates
Variable temperature multidimensional NMR study of anionic Rh(I) anilido $[(R_3P)_2Rh(NHPh)_2]^-$, M^+ complexes (J.-J. Brunet, G. Commenges, D. Neibecker and L. Rosenberg), 117
Rhodium
Diastereoselective synthesis of α-silylphosphetanes. An approach to monodentate, P–O chelating and *trans*-chelating chiral ligands (A. Marinetti, V. Kruger, C. Le Menn and L. Ricard), 223
Organometallic hydrides as reactants in fullerene chemistry. Interaction of the fullerenes C_{60} and C_{70} with $HM(CO)(PPh_3)_3$ (M = Rh and Ir) and $HIr(C_8H_{12})(PPh_3)_2$ (A.V. Usatov, K.N. Kudin, E.V. Vorontsov, L.E. Vinogradova and Y.N. Novikov), 147
Ruthenium
Reactions of $Ru_3(\mu\text{-dppm})(CO)_{10}$ with unsaturated hydrocarbons. Pentamethylcyclopentadiene. X-ray structure of $Ru_4(\mu\text{-H})(\mu_3\text{-}PPhCH_2PPh_2)(\mu\text{-}\eta^1:\eta^5\text{-}CH_2C_5Me_4)(CO)_8$ (M.I. Bruce, P.A. Humphrey, B.W. Skelton and A.H. White), 259
Some neutral ruthenium vinylidene complexes and a novel 1,3-elimination reaction: preparation of chiral ruthenium acetylides (M.I. Bruce, B.C. Hall, N.N. Zaitseva, B.W. Skelton and A.H. White), 307
Synthesis, ^{31}P NMR data and X-ray analysis of a ruthenium(II) dimethylphenylphosphine complex with dimerized phenylacetylene: the structure of $[(PhMe_2P)_4Ru(\eta^3\text{-}PhC_3CHPh)](PF_6)$ (D.C. Liles and P.F.M. Verhoeven), 33
Synthesis and structure of ruthenium(II)–diene complexes (E. Meléndez, R. Ilarraza, G.P.A. Yap and A.L. Rheingold), 1

Samarium
Reactions of $SmI_2(THF)_x$ with $[Cp'Mo(CO)_3]_2Hg$ ($Cp' = C_5H_5^-$ or $C_5Me_5^-$): crystal and molecular structures of $[(THF)_4I_2Sm(\mu\text{-}OC)Mo(CO)_2(C_5H_5)]$ and $[(C_5Me_5)Mo(CO)_3]_2$ (G. Lin and W.-T. Wong), 271
^{121}Sb Mössbauer spectra
^{1}H NMR spectra of Ph_2SbX, $PhSbX_2$, and Ph_3SbX_2 (X = Cl, Br, I); ^{121}Sb Mössbauer spectra of $PhSbX_2$ and crystal structure of Ph_2SbI (G. Alonzo, H.J. Breunig, M. Denker, K.H. Ebert and W. Offermann), 237
Selenium
Synthesis and characterisation of $CpCoFe_2(CO)_6(\mu_3\text{-}S)(\mu_3\text{-}Te)$. Crystal structure of $CpCoFe_2(CO)_6(\mu_3\text{-}Se)(\mu_3\text{-}Te)$ (P. Mathur, P. Sekar, C.V.V. Satyanarayana and M.F. Mahon), 291
Silicon
Electrochemical synthesis of bis(2-thienyl)silanes, 2-thienylchlorosilanes, bis[5-(2-bromothienyl)]silanes, and 5-(2-bromothienyl)dimethylchlorosilane, precursors of poly[(silanylene)thiophene]s (C. Moreau, F. Serein-Spirau, M. Bordeau, C. Biran and J. Dunoguès), 213
Lithiation and silylation reactions of 1,4-bis(1,1,1,3,3,3-hexafluoro-2-hydroxy-2-propyl)benzene (J.W. Fitch, III, P.E. Cassidy and M.J. Ahmed), 55
Silyl
Diastereoselective synthesis of α-silylphosphetanes. An approach to monodentate, P–O chelating and *trans*-chelating chiral ligands (A. Marinetti, V. Kruger, C. Le Menn and L. Ricard), 223
Solid-state structures
New ferrocenophanes containing a hydrophobic, aromatic 'pocket' (R.A. Bartsch, P. Kus, R.A. Holwerda, B.P. Czech, X. Kou and N.K. Dalley), 9
Spectroscopic data
1,2-Bis(dimethylamino)ethan-Komplexe von heteroleptischen Alkylzink-Verbindungen: Zusammenhang zwischen Zn–N-Abstand und R–Zn–R'-Bindungswinkel (M. Westerhausen, M. Wieneke und W. Schwarz), 137
Spiroindolenine
Synthesis reactivity and molecular structure of 2'-methylspiro[cyclohexane-1,3'-3*H*-indole] chromium tricarbonyl complex (J.G. Rodríguez, A. Urrutia, I. Fonseca and J. Sanz), 231
Stiboxane
Adduct formation between $(Ph_3SbI)_2O$ and I_2 (M.J. Almond, M.G.B. Drew, D.A. Rice, G. Salisbury and M.J. Taylor), 265
Sulfur
Unexpected products resulting from reactions of $Cp^*Ir(\eta^5\text{-}2,5\text{-}Me_2T)^{2+}$ (Me_2T = 2,5-dimethylthiophene) with $(\mu\text{-}S)_2Fe_2(CO)_6^{2-}$ and $(\mu\text{-}CO)(\mu\text{-}RS)Fe_2(CO)_6^-$ (J. Chen, C.L. Day, R.A. Jacobson and R.J. Angelici), 21
Supramolecular polymers
Unusual chromic behaviour of the solid supramolecular 3D polymers $[(Me_3Sn)_nFe(CN)_6]_\infty$ ($n = 3/4$) (S.E.H. Etaiw and A.M.A. Ibrahim), 77
Syndiospecific polymerization of propylene
Syndiospezifische Polymerisation von Propylen: Modellverbindungen des Typs $(C_{13}H_{8-n}R_nCMe_2C_5H_4)Zr(H_2C{=}CHR')(PMe_3)$ (n = 0, 2; R = H, Me; R' = Me, Et) (H.G. Alt und R. Zenk), 177
Syndiotactic polypropylene
Syndiospezifische Polymerisation von Propylen: 2- und 2,7-substituierte Metallocenkomplex des Typs $(C_{13}H_{8-n}R_nCR'_2C_5H_4)MCl_2$ (n = 1,2; R = Alkoxy, Alkyl, Aryl, Hal; R' = Me, Ph; M = Zr, Hf) (H.G. Alt und R. Zenk), 39
Synthesis
Electrochemical synthesis of bis(2-thienyl)silanes, 2-thienylchlorosilanes, bis[5-(2-bromothienyl)]silanes, and 5-(2-bromothienyl)dimethylchlorosilane, precursors of poly[(silanylene)thiophene]s (C. Moreau, F. Serein-Spirau, M. Bordeau, C. Biran and J. Dunoguès), 213
Synthesis reactivity and molecular structure of 2'-methylspiro[cyclohexane-1,3'-3*H*-indole] chromium tricarbonyl complex (J.G. Rodríguez, A. Urrutia, I. Fonseca and J. Sanz), 231
Tellurium
Synthesis and characterisation of $CpCoFe_2(CO)_6(\mu_3\text{-}S)(\mu_3\text{-}Te)$. Crystal structure of $CpCoFe_2(CO)_6(\mu_3\text{-}Se)(\mu_3\text{-}Te)$ (P. Mathur, P. Sekar, C.V.V. Satyanarayana and M.F. Mahon), 291
Tertiary and secondary phosphines
Water soluble phosphines. VIII. Palladium-catalyzed P–C cross coupling reactions between primary or secondary phosphines and functional aryliodides — a novel synthetic route to water soluble phosphines (O. Herd, A. Heßler, M. Hingst, M. Tepper and O. Stelzer), 69
Tetramercurated methane
Synthesis and crystal structures of tetrakis(nitratomercurio)methane monohydrate and bis(sulphatomercurio)bis(aquamercurio)methane (D. Grdenić, B. Korpar-Čolig and D. Matković-Čalogović), 297
Thienylsilanes
Electrochemical synthesis of bis(2-thienyl)silanes, 2-thienylchlorosilanes, bis[5-(2-bromothienyl)]silanes, and 5-(2-bromothienyl)dimethylchlorosilane, precursors of poly[(silanylene)thiophene]s (C. Moreau, F. Serein-Spirau, M. Bordeau, C. Biran and J. Dunoguès), 213
Thiophene
Unexpected products resulting from reactions of $Cp^*Ir(\eta^5\text{-}2,5\text{-}Me_2T)^{2+}$ (Me_2T = 2,5-dimethylthiophene) with $(\mu\text{-}S)_2Fe_2(CO)_6^{2-}$ and $(\mu\text{-}CO)(\mu\text{-}RS)Fe_2(CO)_6^-$ (J. Chen, C.L. Day, R.A. Jacobson and R.J. Angelici), 21
Three-dimensional polymers
Unusual chromic behaviour of the solid supramolecular 3D polymers $[(Me_3Sn)_nFe(CN)_6]_\infty$ ($n = 3/4$) (S.E.H. Etaiw and A.M.A. Ibrahim), 77
Tin
Unusual chromic behaviour of the solid supramolecular 3D polymers $[(Me_3Sn)_nFe(CN)_6]_\infty$ ($n = 3/4$) (S.E.H. Etaiw and A.M.A. Ibrahim), 77
Titanium
Interaction of carbon dioxide with the bis(trimethylsilyl)acetylene complex of permethyltitanocene: synthesis and structure of the binuclear carbonate complex of permethyltitanocene $(Cp_2^*Ti)_2CO_3$ (V.V. Burlakov, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, V.B. Shur, U. Rosenthal and U. Thewalt), 241
TMEDA complexes
1,2-Bis(dimethylamino)ethan-Komplexe von heteroleptischen Alkylzink-Verbindungen: Zusammenhang zwischen Zn–N-Abstand und R–Zn–R'-Bindungswinkel (M. Westerhausen, M. Wieneke und W. Schwarz), 137
Tripledecker complexes
Neue Vanadium-Komplexe mit substituentenfreien Phosphorliganden (M. Herberhold, G. Frohmader und W. Milius), 185
Tripodal ligand
π-Allyl–Palladium-Komplexe stabilisiert durch den tripodalen Sauerstoffliganden $[(C_5H_5)Co\{P(OMe)_2O\}_3]^-$ II. Eliminierung statt C–C-Bindungsbildung bei der Reaktion mit resonanzstabilisierten Carbanionen (B. Domhöver und W. Kläui), 207
Synthese von π-Allyl–Palladium-Komplexen, stabilisiert durch dreizähnige Sauerstoffliganden $[(C_5H_5)Co\{P(OR)_2O\}_3]^-$ (B. Domhöver, H. Hamers, W. Kläui und M. Pfeffer), 197

Uranium
Reactivity of the cationic uranium amide compound [U(η-C_8H_8)(NEt_2)(OC_4H_8)$_2$][BPh_4] (C. Boisson, J.C. Berthet, M. Ephritikhine, M. Lance and M. Nierlich), 249

Vanadium
Neue Vanadium-Komplexe mit substituentenfreien Phosphorliganden (M. Herberhold, G. Frohmader und W. Milius), 185

Vinyl chlorosilanes
Koordinationsverhalten vinyl- und alkinylfunktionalisierter Chlorsilane (H. Lang, M. Weinmann und L. Zsolnai), 277

Vinylidene
Some neutral ruthenium vinylidene complexes and a novel 1,3-elimination reaction: preparation of chiral ruthenium acetylides (M.I. Bruce, B.C. Hall, N.N. Zaitseva, B.W. Skelton and A.H. White), 307

Water soluble phosphines
Water soluble phosphines. VIII. Palladium-catalyzed P–C cross coupling reactions between primary or secondary phosphines and functional aryliodides — a novel synthetic route to water soluble phosphines (O. Herd, A. Heßler, M. Hingst, M. Tepper and O. Stelzer), 69

X-ray crystallography
Neue Vanadium-Komplexe mit substituentenfreien Phosphorliganden (M. Herberhold, G. Frohmader und W. Milius), 185

X-ray diffraction
Interaction of carbon dioxide with the bis(trimethylsilyl)acetylene complex of permethyltitanocene: synthesis and structure of the binuclear carbonate complex of permethyltitanocene $(Cp_2^*Ti)_2CO_3$ (V.V. Burlakov, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, V.B. Shur, U. Rosenthal and U. Thewalt), 241
Synthesis, ^{31}P NMR data and X-ray analysis of a ruthenium(II) dimethylphenylphosphine complex with dimerized phenylacetylene: the structure of [$(PhMe_2P)_4Ru(\eta^3$-$PhC_3CHPh)$][PF_6] (D.C. Liles and P.F.M. Verhoeven), 33
Synthesis and characterisation of $CpCoFe_2(CO)_6(\mu_3$-S)(μ_3-Te). Crystal structure of $CpCoFe_2(CO)_6(\mu_3$-Se)(μ_3-Te) (P. Mathur, P. Sekar, C.V.V. Satyanarayana and M.F. Mahon), 291

X-ray structure
C- and O-metallation of N-benzylideneamines by palladium (II). Synthesis and X-ray crystal structure of [Pd(2-{CH=N–$(CH_2)_2$-4′-(MeO)C_6H_4}-4,5-$(MeO)_2C_6H_2$)Br(PPh_3)] (J. Albert, J. Granell, R. Moragas, M. Font-Bardía and X. Solans), 59
Cyclometallation of 2-phenylaniline and (*R*)-α-methylbenzylamine by palladium(II) acetate. X-ray molecular structure of [Pd{2-(2′-$\bar{N}H_2C_6H_4$)C_6H_4}Br(PPh_3)] (J. Albert, J. Granell, A. Luque, J. Mínguez, R. Moragas, M. Font-Bardía and X. Solans), 87
Synthesis and crystal structures of tetrakis(nitratomercurio)methane monohydrate and bis(sulphatomercurio)bis(aquamercurio)methane (D. Grdenić, B. Korpar-Čolig and D. Matković-Čalogović), 297
Synthesis reactivity and molecular structure of 2′-methylspiro[cyclohexane-1,3′-3*H*-indole] chromium tricarbonyl complex (J.G. Rodríguez, A. Urrutia, I. Fonseca and J. Sanz), 231

X-ray structures
1,2-Bis(dimethylamino)ethan-Komplexe von heteroleptischen Alkylzink-Verbindungen: Zusammenhang zwischen Zn–N-Abstand und R–Zn–R′-Bindungswinkel (M. Westerhausen, M. Wieneke und W. Schwarz), 137

Zinc
1,2-Bis(dimethylamino)ethan-Komplexe von heteroleptischen Alkylzink-Verbindungen: Zusammenhang zwischen Zn–N-Abstand und R–Zn–R′-Bindungswinkel (M. Westerhausen, M. Wieneke und W. Schwarz), 137

Zirconium
Preparation, characterization and carbonylation of the ring-functionalized dibenzyl zirconocenes, (η^5-$C_5H_5)_x$(η^5-C_5H_4)P($C_6H_5)_2)_{2-x}$Zr($CH_2C_6H_5)_2$ ($x = 1$, (**1**); $x = 0$, (**2**) (W. Tikkanen, J. Manning, P. Watkins, M. Gonzalez and M. Borja), 123
Syndiospezifische Polymerisation von Propylen: 2- und 2,7-substituierte Metallocenkomplex des Typs ($C_{13}H_{8-n}R_nCR'_2C_5H_4$)-$MCl_2$ (n = 1,2; R = Alkoxy, Alkyl, Aryl, Hal; R′ = Me, Ph; M = Zr, Hf) (H.G. Alt und R. Zenk), 39

Book Reviews
Gmelin Handbook of Inorganic and Organometallic Chemistry (G.J. Leigh), 163
Gmelin Handbook of Inorganic and Organometallic Chemistry (C. Eaborn), 164
Lithium Chemistry: A Theoretical and Experimental Overview, A.-M. Sapse and P. v. R. Schleyer (Eds.) (C. Eaborn), 163
Organosilicon Chemistry II: from molecules to materials, N. Auner and J. Weis (Eds.) (C. Eaborn), 164
Photochemistry and Photophysics of Metal Complexes, D.M. Roundhill (Ed.) (M. Poliakoff), 162
Stereodirected Synthesis with Organoboranes, D.S. Matteson (Ed.) (S. Caddick), 161
The Chemistry of Metal CVD, T.T. Kodas and M.J. Hampden-Smith (Eds.) (J.D. Smith), 161